



Growth Supplement

Maximum Animal Health,
Thriving Performance

PRODUCT CATALOGUE

Uni Pharma FZC (Malaysia) Sdn. Bhd.
www.unipharma.com.my



— OVER —
25
QUALITY
PRODUCTS



WELCOME TO UNI PHARMA

Our understanding of nutrition, productivity and agri-business drives our innovative products.

We ensure the healthy growth of your animals
for optimal growth, performance and production.



www.unipharma.com.my

WE STRIVE TOWARDS ACHIEVING MAXIMUM HEALTH AND PERFORMANCE THROUGH BALANCED NUTRITION.

UNIPHARMA

Growth Supplement Divisions



Item Quick Guide



25+ INNOVATIVE Growth Products

Unipharma's research-based products provide the functional active ingredients for optimal growth, performance and production.

DIVISION 1 **AVITAMINOSIS**

- Golden 100
- Silver 50
- Unistress
- Univitachol
- Univita E+C
- Univita B+
- Univitam
- Uni E+S
- Uni-AD3E+K
- Calfos60
- Univitam P-10
- Uni-AD3E+C
- Univita-C
- Uni-K3
- Starter
- 2-in-1
- Water-Vital

DIVISION 2 **IMMUNITY & ANTI-INFECTIOUS**

- V8
- Uni-Imune
- dB+
- G&O
- Fast-Immun

DIVISION 3 **RESPIRATORY TRACT CARE**

- C&M Stress
- Unithol
- Unimint C
- All-In-1
- Breathwell

DIVISION 4 **LIVER & TOXIC CARE**

- Uniguard
- Liver Tonic
- Uni-Tonic
- Super-Liver
- Mold-X
- Tox-O
- Solve-T



Golden 100

GOLDEN 100 functions to stimulate the reproductive function, bone development, growth and the fat and carbohydrates metabolism.

Composition (per 1 Litre)

- Vitamin A 100,000,000 I.U.
- Vitamin D3 20,000,000 I.U.
- Vitamin E 40,000 I.U.

Indications

- Improvement of egg production and hatchability.
- Prevention of stress and strengthen of resistance to the diseases.
- Prevention of osteomalacia.
- Promotion of growth rates and improvement of feed efficiency.

Dosage

Poultry: 1 mL / 4 Litres of drinking water.
 Cattle: 2 mL / 80 kg body weight for 3-5 days.
 Calves, Sheeps and Goats: 1 mL / 50 kg body weight for 3-5 days.
 Camels: 10 mL / 500 kg body weight for 3-5 days.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Silver 50

SILVER 50 functions to stimulate the reproductive function, bone development, growth and the fat and carbohydrates metabolism.

Composition (per 1 Litre)

- Vitamin A 50,000,000 I.U.
- Vitamin D3 10,000,000 I.U.
- Vitamin E 10,000 I.U.

Indications

- Improvement of egg production and hatchability.
- Prevention of stress and strengthen of resistance to the diseases.
- Prevention of osteomalacia.
- Promotion of growth rates and improvement of feed efficiency.

Dosage

Poultry: 1 mL / 2 Litres of drinking water.
 Cattle: 4 mL / 80 kg body weight for 3-5 days.
 Calves, Sheeps and Goats: 3 mL / 50 kg body weight for 3-5 days.
 Camels: 30 mL / 500 kg body weight for 3-5 days.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Unistress

UNISTRESS stimulates the animals' body activities during heat stress and enhances their immune response.

Composition (per 1 gm)

• Vitamin C	200 mg
• Sodium Chloride	25 mg
• Potassium Chloride	50 mg
• Sodium Salicylate	100

Indications

- Minimize harmful effect of high temperature on performance of broiler chicks and layer hens.
- Has beneficial effects on FCR, serum antibody development and ratio of weight of bursa, thymus and spleen to body weight of heat-stressed birds.
- Improved egg quality, increased sperm quality, fertility, hatchability and production during heat stress condition.
- Increase bioavailability and growth rate of the bird.
- Enhance resistance to disease by improving the immune system specially after vaccination.
- Neutralize mycotoxins in case of mycotoxin stress and keep the blood pH.

Dosage

Poultry: 250-500gm per 1000L of drinking water.
Sheeps and Goats: 1gm / 10kg b.wt.
Cattles: 6gm / 100kg b.wt.
Camels: 30gm / 500kg b.wt.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement
Form Powder
Packing 500gm, 1 Kg



Univitachol

UNIVITACHOL functions to improve avitaminosis for better growth, stress and vitamins deficiencies in feed.

Composition (per 1 Litre)

Vitamin A	100,000 I.U.	Vitamin B12	15 mcg
Vitamin D3	20,000 I.U.	Vitamin E	40 I.U.
Vitamin B1	3 mg	Vitamin C	50 mg
Vitamin B2	2 mg	Vitamin K	3 mg
Vitamin B6	2 mg	Nicotinamide	20 mg
Calcium pantothenate	10 mg	Choline	50 mg

Indications

Prevention and improvement of avitaminosis, specially indicated in young animals in their growing period, pregnant or lactating animals, stress or vitamin deficiencies in feed. Improvement of immune system.

Dosage

Poultry: 1 mL / 4 Litres of drinking water.
Cattle: 2 mL / 80 Kg of body weight for 3-5 days.
Horses, Calves, Sheeps and Goats: 1 mL / 50 Kg of body weight for 3-5 days.
Camels: 10 mL / 500 Kg of body weight for 3-5 days.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement
Form Liquid
Packing 500mL, 1 Litre



Univita E+C

UNIVITA E+C functions to improve immune system, increase fertility and egg production plus acts as an antioxidant.

Composition (per 1 mL)

• Vitamin C	100 mg
• Vitamin E	50 mg
• Sodium Selenite	2.3 mg

Indications

- Improve the immune system in viral, bacterial infection and in mycotoxicosis.
- In case of ecephalomalacia (crazy chick), haemorrhagic oedema, testicular degeneration, and muscular dystrophy.
- Increase fertility, hatchability and egg production.
- Used as antioxidant.
- Increase fertility, and in case of oligospermia, habitual abortion, muscular dystrophy and oedema.

Dosage

- Poultry: 1 mL / 3 Litres of drinking water.
- Cattle: 2 mL / 80 Kg body weight for 3-5 days.
- Calves, Sheeps and Goats: 1 mL / 50 Kg body wt. for 3-5 days.
- Camels: 10 mL / 500 Kg body wt. for 3-5 days.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Univita B+

UNIVITA B+ functions to be a vitamin compliment for young animals for faster growth, pregnancy issues and stress.

Composition (per 1 Litre)

• Vitamin B1	5,000 mg	• Nicotinic acid	20,000 mg
• Vitamin B2	10,000 mg	• Calcium pantothenate	10,000 mg
• Vitamin B6	5,000 mg	• Biotin	20,000 mcg
• Vitamin B12	20,000 mcg	• Vitamin C	70,000 mg

Indications

Vitamin complement specially recommended in young animals in their growing period, animals in lactation, pregnancy, stress and vitamin deficiencies in feed.

Dosage

- Poultry: 1 mL / 2 Litres of drinking water.
- Cattle: 2 mL / 80 Kg b. wt. for 3-5 days.
- Calves, Sheeps and Goats: 1 mL / 50 Kg b. wt. for 3-5 days.
- Camels: 10 mL / 500 Kg b. wt. for 3-5 days..

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Univitam

UNIVITAM is a well-balanced formula of vitamins and amino acids to enhance growth, productivity and immunity in animals.

Composition (per 1 Litre)

Vitamin A	10,000,000 I.U.	Vitamin C	10,000 mg
Vitamin D3	2,000,000 I.U.	Nicotinic acid	30,000 mg
Vitamin E	10,000 mg	Pantothenic acid	1,000 mg
Vitamin K3	1,000 mg	Folic acid	500 mg
Vitamin B1	1,000 mg	DL-methionine	20,000 mg
Vitamin B2	5,000 mg	L-therionine	1,000 mg
Vitamin B6	2,000 mg	L-lysine	10,000 mg
Vitamin B12	100 mg	L-tryptophane	1,000 mg
Biotin	500 mg	Propylene Glycol	50,000 mg

Indications

Univitam is a balanced formula concerning amino acids and vitamins for prevention and improvement of their deficiency symptoms.

- enhances weight gain and egg production.
- helps the poultry to overcome stress condition especially heat stress.
- improvement of immune system and hepatic function.
- improvement of musculo-skeletal system.

Dosage

Poultry: 1 mL / 4 Litres of drinking water.

Cattle: 2 mL / 80 Kg of body weight for 3-5 days.

Horses, Calves, Sheeps and Goats: 1 mL / 50 Kg of body weight for 3-5 days.

Camel: 10 mL / 500 Kg of body weight for 3-5 days.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category: Supplement
Form: Liquid
Packing: 500mL, 1 Litre



Uni E+S

UNI E+S functions to assist in Vitamin E deficiency that cause muscular dystrophy and decreased hatchability in animals.

Composition (per 1 Litre)

• Vitamin E	100,000 mg
• Sodium Selenite	2,300 mg

Indications

- Vitamin E deficiencies (like encephalomalacia, muscular dystrophy, exudative diathesis, decreased hatchability in eggs, infertility problems) in calves, cattles, goats, poultry, and sheeps.
- Improve the immune system, increase the fertility in case of Oligospermia and habitual abortion.

Dosage

Poultry: 1 mL / 4 Litres of drinking water.

Cattle: 2 mL / 80 Kg of body weight.

Calves, Sheeps and Goats: 1 mL / 50 Kg of body weight.

Camels: 10 mL / 500 Kg of body weight.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category: Supplement
Form: Liquid
Packing: 500mL, 1 Litre



Uni-AD3E+K

UNI-AD3E+K functions to assist in vitamins deficiencies, improve organs and muscle system activity.

Composition (per 1 Litre)

• Vitamin A	25,000,000 I.U.
• Vitamin D3	250,000 I.U.
• Vitamin E	15,000 mg
• Vitamin K3	2500 mg

Indications

- Designed for all breeds and production groups of cattle, camel, horses, sheep, goat, and poultry;
- in deficiency of vitamin dissolvable in fat, most intensive growth period
- after treatment,
- after zootechnical procedure.
- Improves all vital organs and muscle-skeletal system activity.

Dosage

200-250 mL / 1000 Litres of drinking water for 3 - 5 days or as advised by a veterinarian.

Safety !

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Calfos60

CALFOS60 stimulates metabolism, increases growth rates, appetite and prevents rachitis and hypocalcemia.

Composition (per 1 Litre)

• Phosphoric Acid	80,000 mg
• Calcium Chloride	60,000 mg
• Magnesium Sulphate	10,000 mg
• Zinc Sulphate	10,000 mg

Indications

- Increase the egg production.
- Achieve faster growth and increased weight in broilers.
- Prevents cases of rachitis (rickets) and hypocalcemia.
- Increases appetite in broilers.
- Achieve better absorption of feed through the digestive system.
- Stimulates the metabolism.
- Increase the hardness of eggs shell.

Dosage

Poultry: 500 mL per 1000 Litres of drinking water or as advised by a veterinarian.

Safety !

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Univitam P-10

UNIVITAM P-10 functions as a source of vitamins, minerals and amino acids for growth rate, feed efficiency and production.

Composition (per 1 Kg)

Vitamin A	10.000.000 I.U.	Folic Acid	200 mg
Vitamin D	20.000.000 I.U.	Pantothenic acid	1.000 mg
Vitamin E	20.000 mg	Niacine	4.000 mg
Vitamin K3	1.000 mg	Biotine	200 mg
Vitamin C	2.000 mg	Methionine	1.000 mg
Vitamin B1	1.000 mg	Lysine	1.000 mg
Vitamin B2	2.000 mg	Zinc Sulphate	3.000 mg
Vitamin B6	1.000 mg	Manganese Sulphate	1.000 mg
Vitamin B12	2 mg	Sodium Selenite	10 mg
Iron Sulphate	2.000 mg	Calcium Chloride	50.000 mg
Copper Sulphate	1.000 mg	Phosphate Potassium	20.000 mg
Pottasium iodite	100 mg	Aluminium silicate up to	1000 gm
Cobalt Sulphate	100 mg		

Indications

- UNIVITAM P-10 is used to support the routine animal feeding program as a source of vitamins, minerals and amino acids important to metabolism and improve feed efficiency, growth rate and production.
- UNIVITAM P-10 helps to resist the phenomenon of hair loss, eating wool and plucking feathers caused by lack of salts and vitamins in feed.

Dosage

Species	Drinking water
Sheeps and Goats	20 gm per 2-3 animal
Poultry and Birds	120 gm per 80L of drinking water
Cows, Camels and Horses	20-40 gm per animal



Category: Supplement
Form: Powder
Packing: 500 Gm



Uni-AD3E+C

UNI-AD3E+C functions for cases of vitamin deficiencies, to improve vital organs and helps in stress situations.

Composition (per 1 Litre)

Vitamin A	25,000,000 I.U.
Vitamin D3	250,000 I.U.
Vitamin E	15,000 mg
Vitamin C	50,000 mg

Indications

- Designed for all breeds and production groups of poultry:
- in deficiency of vitamin dissolvable in fat,
- most intensive growth period,
- after treatment,
- after zootechnical procedure.
- Improves all vital organs and muscle-skeletal system activity.
- Helps in stress conditions such as heat stress.

Dosage

200-250 mL / 1000 Litres of drinking water for 3-5 days or as advised by a veterinarian.

Safety !

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category: Supplement
Form: Liquid
Packing: 500mL, 1 Litre



Univita-C

UNIVITA-C functions to stimulate the animals' body activities during heat stress and enhances their immune system.

Composition (per 1 gm)

- Vitamin C 200 mg

Indications

- Minimize harmful effect of high temperature on performance of broiler chicks and layer hens.
- Has beneficial effects on FCR, serum antibody development and ratio of weight of bursa, thymus and spleen to body weight of heat-stressed birds.
- Improved egg quality, increased sperm quality, fertility, hatchability and production during heat stress condition.
- Increase bioavailability and growth rate of the bird.
- Enhance resistance to disease by improving the immune system specially after vaccination.
- Neutralize mycotoxins in case of mycotoxin stress and keep the blood pH.

Dosage

Poultry: 500 gm per 1000 Litres of drinking water.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement
Form Powder
Packing 500gm, 1 Kg



Uni-K3

UNI-K3 prevents hemorrhages and parasitic infections associated with Vitamin K deficiency in animals.

Composition (per 1 gm)

- Menadione sodium bisulfite 125 mg

Indications

UNI-K3 is indicated in the treatment and prevention of haemorrhages associated with vitamin K deficiency or intestinal parasitic infections such as coccidiosis, and as an antagonist for anticoagulant poisoning (e.g. due to rodenticide toxicity, sweet clover poisoning or treatment with sulfaquinoxaline) in calves, cattle, goats, poultry and sheeps.

Dosage

For oral administration.

Calves, cattle, goats & sheep:

1 gm per 50 - 100 kg body weight for 3 - 21 days.

Poultry:

100 gm per 1000 Litres drinking water for 3 - 5 days.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement
Form Powder
Packing 500gm, 1 Kg



STARTER



SUITABLE FOR YOUNG CHICKS

0-14 DAYS

Composition

AMINO ACIDS + YEAST = PROTEIN

Benefits

- + Specially formulated for faster growth of young chicks.
- + Amino acid formulations that meet the nutritional deficiencies of chicks.
- + Optimum performance and feed intake.
- + Productivity and economically efficient.

Dosage

1 Litre per 1000 Litres of drinking water or as advised by a veterinarian. This product can be used to mix with feed supplements or other veterinary medicines.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category: Supplement
Form: Liquid
Packing: 500mL, 1 Litre



2-IN-1

ANTI-STRESS + ANTI-DIARRHEA

IMPROVE THE NATURAL RESISTANCE AND AS OSMOPROTECTIVE

Composition (per 1 Litre)

• Betaine	150 gm	• Vitamin C	50 gm
• Lysine	100 gm	• Sodium chloride	20 gm
• Methionine	100 gm	• Potassium chloride	20 gm

Indications

To improve the natural resistance and efficiency, as anti-stress and an osmoprotective. It is also hepatoprotective to improve the appetite and feed digestibility.

- + PROVIDES ANTI-STRESS EFFECT
- + EFFECTIVE FOR DIARRHEA
- + STIMULATES DIGESTION AND METABOLISM
- + PREVENTS HEAT STRESS DEHYDRATION
- + PREVENTS LIVER FAT DYSTROPHY

Dosage

Camel, Horse, Cattle, and Sheep: 1 mL per 1 Kg body weight 1-2 times a day within 5-7 days;
Poultry: 250 mL per 1000 Litres of drinking water within 5-7 days.
For osmoprotective diarrhea and dehydration in poultry can be increased usage to 21 days, then make a break for 7 days and the course can be repeated.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category: Supplement
Form: Liquid
Packing: 500mL, 1 Litre



WATER-VITAL

WATER-VITAL contains herbal substances to improve both taste and smell in drugs administered water during therapy.

Composition (per 1 mL)

Contains Hibiscus tea, Rose tea and Onion Extract plus Vitamin C and Vitamin B12.

WATER-VITAL is a product created to neutralize an unpleasant taste of drugs administered to water during an infection. Herbal substances contained in the preparation improve both taste and smell, thus animals drink the same amount of water, which is important during therapy.

Indications

- + During administration of antibiotics with a bitter taste.
- + During water intake disturbances or reduced water consumption.
- + Removes rotten egg smell that indication of hydrogen sulfide in water.
- + The last 3 days of life to reduce weight loss during transport to the slaughterhouse.

Dosage

250 mL per 1000L of drinking water in half of water amount drunk during the day for 3-5 days or while administering of medicine that changes water taste or smell.

Safety !

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement **Form** Liquid **Packing** 500mL, 1 Litre



V8

Herbal Antiviral

The reliable nutritional herbal remedies with reputation in the treatment of various animal diseases. The V8 consists of herbs like **Isatis**, **Scutellaria**, **Forsythia**, and **Dyers Woad Leaf** with medicinal values for poultry.

+ Enhanced Immunity

Provides protection against infectious diseases caused by various microorganisms and viruses.

+ Health Promoter

Improvement of growth performance and produce health values that maximize productivity in poultry.

Dosage

250 mL / 500 Litres of drinking water or as advised by a veterinarian.

Safety !

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement **Form** Liquid **Packing** 250mL, 1 Litre

Diseases Treatable

- Common cold
- Influenza
- Newcastle disease (ND)
- Infectious Bronchitis (IB)
- Cold-pungent diaphoresis

It can function as heat-clearing, eliminate the microorganisms that cause diseases, serve as an anti-inflammation agent and enhance the immune system.



IMMUNITY & ANTI-INFECTIOUS

Uni-Imune

UNI-IMUNE functions to assist in Vitamin E deficiencies cases like muscular dystrophy and decreased hatchability in animals.

Composition (per 1 mL)

• Vitamin E	200000 mg
• Zinc Sulphate	430 mg
• Selenium	150 mg

Indications

Vitamin E deficiencies (like encephalomalacia, muscular dystrophy, exudative diathesis, decreased hatchability in eggs, infertility problems) in calves, cattles, goats, poultry, and sheeps.

Prevention of iron-intoxication after administration of iron to piglets.

Dosage

Poultry: 1 mL / 6 Litres of drinking water or as advised by a veterinarian.

Safety !

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



dB⁺

ANTI-HISTAMINE + ANTIEMETIC

Diphenhydramine (active ingredient)

A member of the ethanolamine class of antihistaminergic agents, an antagonist of the histamine H1 receptor.

Composition (per mL)

Diphenhydramine	2.74 mg
Bromhexine	5 mg
Menthol	20 mg
Eucalyptus	10 mg

Benefits

- + A mechanism that helps for the betterment of respiratory function in animals through the increment of bronchial dilation. It alleviates the expectoration of the sputum and facilitates clearer and healthier respiration.
- + Effective against respiratory infections in poultry such as bronchitis and bronchopneumonia in various animals.
- + Supports the body's own natural mechanisms for clearing mucus from the respiratory tract through the production of serous mucus.
- + Helps to prevent influenza type infections.


Dosage

250 mL per 1000 Litres of drinking water.



Category Supplement Form Liquid Packing 250mL





2-IN-1

**GARLIC EXTRACT +
ONION EXTRACT**



Description

Garlic has a broad-spectrum antibacterial action to various bacteria. It contains antibiotic and antifungal properties. Onions is a potent antioxidant and has anti-inflammatory activity, protecting cellular structures and blood vessels from the damaging effects of free radicals. It improves blood vessel strength.

Benefits

- › Significantly boost and improve the immune system of the animals against diseases.
- › As a restorative herb that can improve growth rates and overall performance.
- › Protects the liver and improves the activity of the prostate in animals.
- › Improves constipation, eliminates fatigue and enhances physical strength.
- › It helps lower blood pressure and improve blood circulation and flow in animals.

Dosage

250mL per 1000 Litres of drinking water.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement **Form** Liquid **Packing** 250mL



FAST-IMMUN

Synergistic combination of prebiotics and herbal extracts for enhancement of immune system in animals.

Composition (per 1 Litre)

• Yucca extract	80,000 mg	Lysozyme	24,000 mg
• Yeast extract	60,000 mg	Vitamin E	12,000 mg
• Echinacea	20,000 mg	Zinc Sulphate	220 mg
• Astragalus	20,000 mg	Excipients Q.S	1 Litre

Indications

- + Enhances the growth and productivity in poultry production.
- + Provides better FCR, protein efficiency ratio, and energy efficiency ratio.
- + Helps boost the immune response by modulating innate immunity to fight bacterial infections and inflammatory conditions.
- + Used to improve both humeral and cell-mediated immunity.
- + Stimulates the production of antibodies and macrophages.
- + Effective during all immunosuppressive conditions such as: IBD, REO, Mycotoxicosis, and viral infection as Avian Influenza.
- + For stress conditions like overcrowding, heat stress and post-vaccinations.

Dosage

Poultry: 250 mL per 1000 Litres of drinking water.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement **Form** Liquid **Packing** 500mL, 1 Litre



C&M Stress

C&M Stress functions for Vitamin C deficiency (heat stress), enhance expectoration and weight gain.

Composition (per 1 mL)

• Vitamin C	100 mg
• Sodium Salicylate	200 mg
• Menthol	20 mg

Indications

Designed for all breeds and production groups of poultry:

- Vitamin C deficiency.
- In case of stress caused by hot or cold weather.
- Relaxes the smooth muscles, removes the congestion, enhances the expectoration, dries the post nasal drip, increases the bronchial dilation and takes care of any possible allergy.
- In case of stress caused by vaccination or transportation.
- Improves immune response and enhances weight gain.

Dosage

250 mL per 1000 Litres of drinking water or as advised by a veterinarian.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Unithol

UNIVITA B+ functions to improve the respiratory system in cases like bronchitis and bronchopneumonia.

Composition (per 1 Litre)

• Menthol	40 gm
• Eucalyptol	40 gm
• Bromhexine	20 gm

Indications

Unithol is indicated in respiratory infections in poultry such as bronchitis, and cases of bronchopneumonia in cattle and horses. Unithol relaxes the smooth muscle, removes the congestion, enhances the expectoration, dries the post nasal drip, increases the bronchial dilation and takes care of any possible allergy.

Dosage

250 mL per 1000 Litres of drinking water or as advised by a veterinarian.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Unimint C

UNIVITA B+ functions to improve the respiratory system in stressed animals during hot weather and diseases.

Composition (per 1 Litre)

- Vitamin C 10 gm
- Menthol 40 gm
- Eucalyptus 40 gm

Indications

Unimint C is indicated to improve the respiratory system function specially in stressed animals in hot weather and diseases accompanied by respiratory symptoms as bronchitis and bronchopneumonia. It helps to improve the immunity to avoid secondary bacterial or viral infection in stressed animals. It also improves the activity of respiratory system in racing animals or unusual animals work.

Dosage

250 mL per 1000 Litres of drinking water or as advised by a veterinarian.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



ALL-IN-1

MUCOLYTIC + ANTISEPTIC INGREDIENTS

MUCOLYTIC, EXPECTORANT AND RESPIRATORY PAIN RELIEVE PLUS ANTI-STRESS

Composition (per 1 Litre)

- | | | | |
|---------------------------|-------|------------------|---------|
| • Eucalyptus oil | 50 gm | • Bromhexine | 10 gm |
| • Menthol | 25 gm | • Vitamin C | 50 gm |
| • Saponin (yucca extract) | 20 gm | • Paracetamol | 50 gm |
| • Thymol oil | 20 gm | • Excipients Q.S | 1000 mL |
| • Cinnamon oil | 20 gm | | |

Indications

The essential oil mix is effective in evacuation of alveoli from mucous and rapid relieve from respiratory diseases. It prevents and alleviates respiratory problems in the modern poultry industry by enhancing alveolar and bronchial evacuation. ALL-IN-1 reduces the viscosity of secretions and cures respiratory distress naturally. It also reduces E.coli and Mycoplasma-related respiratory lesions, immunomodulates vaccination responses to Newcastle disease (ND), Infectious bronchitis (IB) and Infectious larengo-Trachitis (ILT). It changes the pharyngeal aerobic bacterial counts and has certain impacts on specific production parameters.

Dosage

1 mL per 5 Litres of drinking water for 3 days.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



BREATHWELL

BREATHWELL is a respiratory formulation supportive during respiratory diseases and favours faster recovery.

Composition

BREATHWELL is a highly concentrated formulation that combines the oregano extract, curcuminoids, and essential oils of Eucalyptus, Menthol, Glycol, Glycerin and natural Vitamin C.

Indications

BREATHWELL is the best supportive during respiratory diseases and favours faster recovery. BREATHWELL a formulation containing natural bio-active compounds of essential oils for beneficial effects in the respiratory system of birds and animals.

- + To control respiratory symptoms during outbreak of CRD, Infectious Coryza & other respiratory disease.
- + Facilitate easy breathing with optimum uptake of oxygen.
- + Keep respiratory system free from mucus.
- + To prevent & treat sneezing, coughing and labored breathing in infectious/non-infectious causes.
- + Have strong stress reliever and anti-inflammatory activities.

Dosage

Poultry: General Prevention: 1 mL per 8 Litres of drinking water consumed in 12 hours.
 Against Respiratory problems: 1 mL per 4 Litres of drinking water consumed in 12 hours.
 Administered for 3 days.
 To overcome Post Vaccination Reactions: 1 mL per 2 Litres of drinking water consumed in 12 hours, for 2-3 days.

Aerial Spray Usage

Aerial spray: For quick relief of respiratory symptoms: 100 mL diluted in 5 Litres water is sprayed in a shed of 10,000 birds. Spraying is done twice in a week or whenever required.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Uniguard

UNIGUARD functions to control excess moisture, improve liver function and prevent bacteria growth in gut.

Composition (per 1 Litre)

• L.Carnitine	15,000 mg	• Propylene Glycol	120,000 mg
• Betaine	25,000 mg	• Sorbitol	1,000 mg
• Magnasium Sulphate	20,000 mg	• Vitamin E	2,500 mg
• Propionic Acid	20,000 mg	• Selenium	5,000 mg
• Sodium Propionic Acid	50,000 mg	• Zinc	5,000 mg

Indications

- Controls excess moisture in the finished feed.
- Broad spectrum mould inhibitor.
- Improves liver function and prevents fatty liver syndromes.
- Prevents the multiplication of pathogenic bacteria in the gut.
- Helps for non interrupted growth and stable egg production.

Dosage

Poultry: 1 mL / 2-4 Litres of drinking water or as advised by a veterinarian.

Safety !

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Liver Tonic

LIVER TONIC functions as a broad-spectrum mould inhibitor, to improve liver health and prevent fatty liver syndromes.

Composition (per 1 Litre)

• Vitamin E	5,000 mg	• DL-Methionine	10,000 mg
• Sorbitol	30,000 mg	• L-Lysine	10,000 mg
• Natrium Propionate	25,000 mg	• Threonine	2,000 mg
• Ammonium Propionate	20,000 mg	• Potassium Chloride	5,000 mg
• Calcium Propionate	20,000 mg	• Ammonium Chloride	5,000 mg

Indications

- Controls excess moisture in the finished feed.
- Broad spectrum mould inhibitor / improves liver function and prevents fatty liver syndromes.
- Prevents the multiplication of pathogenic bacteria in the gut.
- Helps for non interrupted growth and stable egg production.

Dosage

Poultry: 1 mL / 6 Litres of drinking water.

Safety !

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



Uni-Tonic

UNI-TONIC functions to stimulate liver (lipid) metabolism, increase bile production and pancreatic enzymes.

Composition (per 1 Litre)

• Plant Extract (Boldo)	5,000 mg	Betaine	30,000 mg
• Plant Extract (Artichoke)	5,000 mg	Methonine Acetyl	30,000 mg
• Sorbitol	200,000 mg	Vitamin PP	1,000 mg
• Carnitine	50,000 mg	Magnesium Sulphate	200,000 mg
• Choline Chloride	100,000 mg	Excipients Q.S	1 Litre

Indications

Functions to stimulate liver (lipid) metabolism, increase bile production and pancreatic enzymes. It enhances intestinal motor function while increasing the maximum utilization of nutrients. It regenerates liver cells, prevent fat accumulation in liver, and metabolizes cholesterol in arteries and liver. Accelerates liver function and detoxifies the harmful ammonia effect. Uni-Tonic also stimulates bile acid production.

Dosage

Poultry: 500 mL per 1000 Litres of drinking water.

Safety !

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement Form Liquid Packing 500mL, 1 Litre



SUPER-LIVER

SUPER-LIVER stimulates regeneration of hepatic cells, improves overall liver function, production and hatchability.

Composition (per 1 Litre)

• Eclipta Alba extract	200,000 mg	• Vitamin B2	1,000 mg
• Yeast extract	100,000 mg	• Vitamin B12	1,000 mcg
• Choline Chloride	100,000 mg	• Nicotinic acid	1,000 mg
• Methionine	50,000 mg	• Sorbitol	100,000 mg
• Betaine	50,000 mg	• Excipients Q.S	1 Litre

Indications

- + Stimulates regeneration of hepatic cells.
- + Improves production and hatchability.
- + Effective in fatty liver syndrome.
- + Improves overall liver function.
- + As a supportive treatment.
- + Improving FCR, promoting growth.

SUPER-LIVER is a liquid nutritional supplement that will help to balance fat depositions. SUPER-LIVER also support prevention of fatty liver conditions and liver dysfunctions. It will help correct digestive disturbances in animals that are fed a high energy diet that may lead to an increased supply of free fatty acids in the blood. It is also used to correct oxidative stress in different body tissues in various animal species.

Dosage

Poultry: 250 mL per 1000 Litres of drinking water.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category: Supplement
Form: Liquid
Packing: 500mL, 1 Litre



Mold-X

MOLD-X binds mycotoxins, inhibits mold growth and increase immunity and stress on liver.

Composition (per 1 Litre)

Yeast Fermentation Extract

The yeast extract converts mycotoxin to non-toxic and harmless metabolites.

Organic & Inorganic Acids

A blend of selected organic & inorganic acids of high biological value. Propionic, Formic, and Citric acid in Ammonium Formate.

Indications

- Control and reduce feed contaminations.
- Bind multiple mycotoxins, inhibits growth of mold and prevents further mycotoxin production.
- Increases immunity and reduce stress on liver.
- Improves laying performance and growth in birds.
- Reduces pH in gastro-intestinal tract.
- Reliable protection from spoilage.
- Targetted reduction of harmful bacteria and fungus.
- Long term control of Salmonella, E.coli and other harmful bacteria.
- Support of optimum performance.

Dosage

500 mL per 1000 Litres of drinking water.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category: Supplement
Form: Liquid
Packing: 500mL, 1 Litre



TOX-O

TOX-O limits pathogenic bacteria growth, improves feed digestibility, activates digestive enzymes and maintains normal bacteria flora.

Composition (per 1 Litre)

• Formic acid (E 236)	42%
• Phosphoric acid (E 338)	16%
• Citric acid (E 330)	10%
• Lactic acid (E 270)	6%
• Yeast extract	24%

Indications

- TOX-O is a highly concentrated acids plus yeast extract.
- + Limits the growth of pathogenic bacteria such as Colibacillosis and Salmonellosis.
- + Lowering the pH of the gastrointestinal tract and improving the digestibility of feed.
- + Activation of digestive enzymes.
- + Improvement of the production indicators.
- + Maintaining the normal bacterial flora.

Dosage

Dissolve in drinking water.
Poultry: 250 gm per 1000 Litres of drinking water 3-5 days.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement
Form Liquid
Packing 500mL, 1 Litre



SOLVE-T

SOLVE-T improves intestinal healthy, adjust poultry stomach and intestinal pH, keep beneficial bacteria normal reproduction.

Composition (per 1 mL)

• Dry yeast extract	80 mg	• Propionic Acid	40 mg
• Formic Acid	80 mg	• Malic Acid	20 mg
• Propionic Acid	80 mg	• Sorbic Acid	10 mg
• Lactic Acid	60 mg	• Citric Acid	10 mg
• Acetic Acid	60 mg	• Solvents up to	1 mL
• Butyric Acid	40 mg		

Indications

Improve intestinal healthy, adjust poultry stomach and intestinal pH, keep beneficial bacteria normal reproduction. Protects poultry against pathogens bacteria like E.coli, Salmonella spp, or Clostridium spp. Stimulates poultry flock enhance immunity. Limiting the growth of pathogenic bacteria.

Dosage

Poultry: 500 mL per 1000 Litres of drinking water for 3-5 days.
Empty poultry house drinking system cleaning:
1:100 diluted by water steep more than 24 hours, then put out, wash 2 times by water.

Safety!

- Keep out of reach of children.
- For veterinary use only.
- Store in a dry and dark place.



Category Supplement
Form Liquid
Packing 500mL, 1 Litre





Uni Pharma FZC (Malaysia) Sdn. Bhd.



Innovative Nutrition, Thriving Agriculture



1014727-V

www.unipharma.com.my

Tel: +603-5525-3676 • Email: info@unipharma.com.my
Office: No. 36-1 & 36-2, Jalan Anggerik Aranda BH31/BH,
Kota Kemuning 40460 Shah Alam, Selangor, Malaysia.
Factory: A57, Jalan FZ2-P3, KS12, Klang, Selangor, Malaysia.